



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/734,591	12/13/2000	Hirobumi Nishida	200825US2	3698
22850	7590	05/27/2005	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			THOMPSON, JAMES A	
			ART UNIT	PAPER NUMBER
			2624	

DATE MAILED: 05/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/734,591

Applicant(s)

NISHIDA, HIROBUMI

Examiner

James A Thompson

Art Unit

2624

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 November 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) _____ is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-34 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 13 December 2000 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
- 1) ☒ Certified copies of the priority documents have been received.
 - 2) ☐ Certified copies of the priority documents have been received in Application No. _____.
 - 3) ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicant's arguments filed 30 November 2004 have been fully considered but they are not persuasive.

Applicant argues: Neither Matsuda (US Patent 6,285,470 B1) or Fields (US Patent 5,767,945) teach the important step of edge detection (page 4, line 18 to page 5, line 18 of the present arguments).

Examiner replies: As discussed in the previous office action, dated 23 July 2004, and repeated below, Matsuda does indeed teach the step of edge detection. Specifically, the apparatus of Matsuda detects characters in a digital original image based on the results of a brightness frequency histogram (figure 3b("character part") and column 5, lines 17-21 of Matsuda). The character part of the image is discriminated (column 5, lines 17-21 of Matsuda) from a non-show-through base area (figure 3b("base area") and column 5, lines 25-30 of Matsuda). Matsuda refers specifically to characters and not to edges since the apparatus of Matsuda is concerned with the scanning of a bound book (figure 1(50) and column 3, lines 59-65 of Matsuda). Since characters in a book are formed from purely black or near-black marks, the detection of a character area would also correspond to the detection of any black or near-black edges that would be read by the scanner. The combination of Matsuda with Fields, as demonstrated on page 4, line 16 to page 5, line 5 of said previous office action and repeated below, would detect characters and edges for color documents. It would have been clear to one of ordinary skill in the art at the time of the invention that, when a brightness frequency

Art Unit: 2624

histogram, such as the one in figure 3b of Matsuda, is formed using the apparatus of Matsuda, the region of the histogram that corresponds to the "character part" would also correspond to any edges if such existed in drawings or other elements printed on the book that was scanned. There is nothing physical or structural in the apparatus of Matsuda that requires alteration in order to detect edges. Further, there are no physical or structural changes required in the apparatus of Matsuda in view of Fields, as discussed in the arguments regarding claims 1, 12, 23 and 34 in said previous office action and repeated below, in order to detect the edges of a digital color original image obtained by digitally inputting a single side of a document color-printed on both sides of paper.

Claim Grouping in Prior Art Rejections

2. The prior art rejections are organized in the following manner:

The apparatus of claim 12 performs the method of claim 1. The means of the apparatus of claim 13 are embodied in the various units disclosed in the apparatus of claim 12. The computer program of claim 34 performs the method of claim 1. Therefore, claims 1, 12, 23 and 34 are discussed together.

Claims 2-11 disclose the same limitations that are listed in claims 13-22 and claims 24-33, respectively. Therefore, claims 2-11 are discussed with claims 13-22 and claims 24-33, respectively.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 1-3, 5-6, 12-14, 16-17, 23-25, 27-28 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda (US Patent 6,285,470 B1) in view of Fields (US Patent 5,767,945).

Regarding claims 1, 12, 23 and 34: Matsuda discloses an image processing apparatus (figure 1 of Matsuda). Figure 2 of Matsuda is a block diagram showing details of the control section of said apparatus (column 3, lines 30-31 of Matsuda).

Said apparatus comprises an edge detection unit (figure 2 (21(part)) of Matsuda) which detects an edge in a digital original image (figure 3b("character part") and column 5, lines 17-21 of Matsuda) obtained by digitally inputting a single side of a document printed on both sides of paper (column 3, lines 59-65 of Matsuda). An opened book is read by the scanner (figure 1 and column 3, lines 59-65 of Matsuda), so only one side of the page is read. A character part is discriminated (column 5, lines 17-21 of Matsuda) as is a non-show-through base area (figure 3b("base area") and column 5, lines 25-30 of Matsuda). Characters are formed from purely black marks, so the character area would also correspond to any black edges that are read by the scanner. Furthermore, any edges of a grayscale

Art Unit: 2624

value less than black would also be read by the scanner and be classified as part of the base area, since said base area is a separate and distinguishable element of the histogram (figure 3b of Matsuda).

Said apparatus further discloses a background color estimation unit (figure 2(21(part)) of Matsuda) which estimates a background grayscale density of said paper or a background grayscale image on said single side (column 8, lines 18-24 of Matsuda) with respect to a low-intensity portion (figure 3b(Ls) of Matsuda) of said detected edge (figure 3b(Lp,Ls) and column 7, lines 15-22 of Matsuda).

Said apparatus further discloses an image replacement unit (figure 2(21(part)) of Matsuda) which replaces the low portion of the edge intensity as a component corresponding to the show-through with said estimated background grayscale density or background grayscale image in said original image (column 8, lines 43-46 of Matsuda).

Matsuda further discloses that said image replacement unit removes said component corresponding to the show-through to generate said show-through removed image (column 9, lines 19-23 of Matsuda).

The show-through compensation operations of the apparatus, among other operations, are performed using a CPU (figure 2(21) and column 4, lines 48-53 of Matsuda). Therefore, said edge detection unit, said background color estimation unit, and said image replacement unit correspond to the portions of said CPU and the related physically embodied software that performs the functions of said edge detection unit, said background color estimation unit, and said image replacement unit.

Matsuda does not disclose expressly reading color documents and processing color image data.

Fields discloses scanning in color documents (column 4, lines 47-50 of Fields) and processing color image data (column 4, lines 65-67 of Fields).

Matsuda and Fields are combinable because they are from the same field of endeavor, namely processing of image data acquired by an image scanner. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to obtain a digital color original image from a color-printed document, detect color density instead of grayscale density, and estimate and replace background color instead of background grayscale level. The motivation for doing so would have been to be able to take advantage of image data derived from color separations and color films (column 4, lines 48-52 of Fields). Therefore, it would have been obvious to combine Fields with Matsuda to obtain the invention as specified in claims 1, 12, 23 and 34.

Further regarding claim 34: The operations of said apparatus are implemented with a CPU (figure 2(21) and column 4, lines 48-53 of Matsuda), therefore it is inherent that some form of physically embodied software is used.

Regarding claims 2, 13 and 24: Matsuda discloses that said edge detection unit calculates edge intensity from each component of an image in which the edge is detected (figure 3b and column 5, lines 25-30 of Matsuda), and detects the edge considering a correlation between the respective edge intensity of said components (column 5, lines 21-26 of Matsuda). The intensities of each pixel of the image are calculated and recorded in a histogram (figure 3b and column 5, lines 17-22 of

Art Unit: 2624

Matsuda). The edges (character portion) are detected based on a correlation between the components of the image as shown in the histogram peaks (figure 3b and column 5, lines 21-26 of Matsuda).

Regarding claims 3, 14 and 25: Matsuda discloses that said edge detection unit comprises a binarization unit (figure 2(21(part)) of Matsuda) which binarizes the edge intensity (column 7; lines 59-62 of Matsuda).

Matsuda discloses that said background color estimation unit comprises, in edge distribution (figures 3a-3c of Matsuda) in which a pixel with the edge intensity higher than a threshold (base density) is obtained as an ON pixel and a pixel with the edge intensity lower than the threshold is obtained as an OFF pixel (column 8, lines 43-48 of Matsuda), a window setting unit (figure 2(21(part)) of Matsuda) which sets a window (figure 3b (Ls→Lp) of Matsuda) of a predetermined size (column 7, lines 28-33 of Matsuda) in a region (base area) of said OFF pixels (column 8, lines 43-44 of Matsuda). A window is set in the histogram (figures 3a-3c of Matsuda) between the peak brightness (Lp) and the base brightness (Ls), as shown in figures 3a-3c of Matsuda, said peak brightness and said base brightness defined by a specific relationship (column 7, lines 28-33 of Matsuda), and therefore a predetermined size. The base region is a region of OFF pixels (column 8, lines 43-44 of Matsuda), contrasted with the edge (character) region which has a much higher density (and therefore lower brightness) (column 8, lines 38-42 and 45-51 of Matsuda), as is also shown in figure 3b of Matsuda.

Said background color estimation unit further comprises a color clustering unit (figure 2(21(part)) of Matsuda) which classifies the pixels within each of said windows set by said

Art Unit: 2624

window setting unit into two colors, particularly white and darker (column 8, lines 43-46 of Matsuda). All of the pixels with a density lower than the base value are classified as "white" and all pixels with a density higher than the base value are defined in a group corresponding to the γ curve (column 8, lines 48-51 of Matsuda).

Said background color estimation unit further comprises an estimation unit (figure 2(21(part)) of Matsuda) which estimates a color with higher brightness of said two colors as a background color (column 8, lines 43-44 of Matsuda).

Matsuda further discloses that said image replacement unit comprises a pixel replacement unit (figure 2(21(part)) of Matsuda) which replaces the color of the pixels within each of said windows with said estimated background color (column 8, lines 43-46 of Matsuda).

The various operations of the apparatus are performed using a CPU (figure 2(21) and column 4, lines 48-53 of Matsuda). Therefore, said binarization unit, said window setting unit, said color clustering unit, said estimation unit, and said pixel replacement unit correspond to the portions of said CPU and the related physically embodied software that performs the functions of said binarization unit, said window setting unit, said color clustering unit, said estimation unit, and said pixel replacement unit.

Regarding claims 5, 16 and 27: Matsuda discloses that said binarization unit has an automatic threshold setting unit (figure 2(21(portion of CPU and related embodied software)) of Matsuda) which statistically analyzes the distribution of the edge intensity and automatically sets the threshold (column 8, lines 47-51 of Matsuda). Using the γ curve, the relationship

Art Unit: 2624

between the densities is established (column 8, lines 47-51 of Matsuda). Since the densities are quantized (column 7, lines 60-62 of Matsuda), said relationship therefore sets the threshold levels for each grayscale value based on the related density that is digitized.

Regarding claims 6, 17 and 28: Matsuda discloses that said binarization unit has a threshold setting unit (figure 2(21 (portion of CPU and related embodied software)) of Matsuda) by which a user sets the threshold according to a degree of show-through or paper quality (column 9, lines 1-9 of Matsuda). By selecting the level of base brightness, the user also selects the threshold of each of the gray scale levels since the base brightness is used to set the zero level (column 8, lines 43-44 of Matsuda) and a linear relation is used for the other gray scale levels (column 8, lines 45-51 of Matsuda).

5. Claims 4, 15 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda (US Patent 6,285,470 B1) in view of Fields (US Patent 5,767,945) and Jin (US Patent 5,880,858).

Regarding claims 4, 15 and 26: Matsuda discloses that said pixel replacement unit replaces the color of the pixels determined to be in the background with the estimated background color (column 8, lines 43-46 of Matsuda).

Matsuda further discloses that said background color estimation unit estimates a background grayscale density of said paper or a background grayscale image on said single side (column 8, lines 18-24 of Matsuda) with respect to a low-intensity portion (figure 3b(Ls) of Matsuda) of said detected edge (figure 3b(Lp,Ls) and column 7, lines 15-22 of Matsuda).

Matsuda in view of Fields does not disclose expressly a horizontal run formation unit which forms a run in each line in the horizontal direction in the region of said OFF pixels; and a vertical run formation unit which forms a run in each line in the vertical direction, wherein said background color estimation unit estimates said background color or background color image using the horizontal (or vertical) runs formed by said horizontal run formation unit (or vertical run formation unit), further estimates a background color or a background color image using the vertical (horizontal) runs formed by said vertical run formation unit (or horizontal run formation unit) with respect to said estimated background color or background color image in the horizontal (or vertical) direction, and said pixel replacement unit replaces the pixels of said original image corresponding to said OFF pixels with pixels of said estimated background color or background color image in the vertical (or horizontal) direction.

Jin discloses a horizontal run formation unit which forms a run in each line in the horizontal direction in the region of OFF pixels (column 3, lines 35-38 of Jin). The OFF pixels of the horizontal row are determined since the ON pixels of the horizontal row are counted (column 3, lines 35-38 of Jin) and the size of the horizontal row is known (column 3, lines 20-23 of Jin).

Jin further discloses a vertical run formation unit which forms a run in each line in the vertical direction (column 3, lines 45-50 of Jin). The OFF pixels of the vertical column are determined since the ON pixels of the vertical column are counted (column 3, lines 45-50 of Jin) and the size of the vertical column is known (column 3, lines 20-23 of Jin).

The horizontal and vertical runs are performed by a digital scanner (column 3, lines 16-20 of Jin) which must therefore be controlled by some form of CPU. Said horizontal run formation unit and said vertical formation unit correspond to the portions of said CPU and the related physically embodied software that performs the functions of said horizontal run formation unit and said vertical formation unit.

Jin further discloses estimating said background region using the horizontal (or vertical) runs formed by said horizontal run formation unit (or vertical run formation unit) (figure 1b and column 3, lines 35-41 of Jin), further estimating a background region using the vertical (horizontal) runs formed by said vertical run formation unit (or horizontal run formation unit) with respect to said estimated background region in the horizontal (or vertical) direction (figure 1c and column 3, lines 45-52 of Jin).

Matsuda in view of Fields is combinable with Jin because they are from the same field of endeavor, namely image data scanning and processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use horizontal runs and vertical run to estimate background characteristics, as taught by Jin, said background characteristics being the background color, as taught by Matsuda. Therefore, when said pixel replacement unit replaces the color of the pixels determined to be in the background with the estimated background color, said replacement will be performed with respect to said estimated background region in the horizontal (or vertical) direction. The motivation for doing so would have been to remove the interference to due background color (column 1, lines 33-35 of Jin) and be able to

Art Unit: 2624

automatically delineate the non-background region of the image (column 1, lines 28-32 of Jin). Therefore, it would have been obvious to combine Jin with Matsuda in view of Fields to obtain the invention as specified in claims 4, 15 and 26.

6. Claims 7-9, 18-20 and 29-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda (US Patent 6,285,470 B1) in view of Fields (US Patent 5,767,945) and Dhawan (US Patent 5,271,064).

Regarding claims 7, 18 and 29: Matsuda discloses an edge determination unit (figure 2(21(portion of CPU and related embodied software)) which detects an edge of said show-through removed image by said edge detection unit (figure 3b("show-through part") and column 5, lines 21-25 of Matsuda), compares said detected edge of the show-through removed image and the edge distribution of said original image (column 5, lines 46-52 of Matsuda), and determines an edge not existing on said original image (column 6, lines 30-33 of Matsuda). The edges of the show-through image are detected by the histogram (figure 3b("show-through part") and column 5, lines 21-25 of Matsuda) wherein the pixel data of said edges are compared with the edges of the original image (figure 3b("character part") of Matsuda) and the background of the image (figure 3b("base area") of Matsuda) based on specific brightness criteria (column 5, lines 46-52 of Matsuda). The edge not appearing on the original image, and therefore in the show-through image, can therefore be determined (column 6, lines 30-33 of Matsuda).

Matsuda in view of Fields does not disclose expressly a repetition unit which generates again a show-through removed

Art Unit: 2624

image about the periphery of the edge not existing said original image in said show-through removed image.

Dhawan discloses a repetition unit (figure 1(10) of Dhawan) which generates again an enhanced image (column 12, lines 10-13 of Dhawan) in order to further enhance said image in an iterative fashion (column 12, lines 13-19 of Dhawan).

Matsuda in view of Fields is combinable with Dhawan because they are from the same field of endeavor, namely image data processing and enhancement. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use iterative image enhancement, as taught in Dhawan, to repeatedly update the show-through removed image about the periphery of the edge not existing in said original. The motivation for doing so would have been to iteratively obtain a maximally enhanced image (column 12, lines 3-6 of Dhawan). Therefore, it would have been obvious to combine Dhawan with Matsuda in view of Fields to obtain the invention as specified in claims 7, 18 and 29.

Regarding claims 8, 19 and 30: Matsuda discloses that said edge determination unit subtracts edge intensity calculated in said original image from edge intensity calculated in said show-through removed image at each pixel (column 9, lines 6-9 of Matsuda), and determines any value higher than a predetermined threshold, in said show-through removed image, as an edge not existing in said original image (column 8, lines 43-44 and lines 60-62 of Matsuda). The user can select to completely subtract the show-through image (column 9, lines 6-9 of Matsuda), which would necessarily have to be at each pixel. Any density lower than the detected base density is set to white (column 8, lines 43-44 of Matsuda), said base density being detectable even under

Art Unit: 2624

show-through image conditions (column 8, lines 60-62 of Matsuda). If the user selects to completely subtract the show-through image (column 9, lines 6-9 of Matsuda), then the entire show-through part would therefore be set to the background color.

Further regarding claims 9, 20 and 31: Dhawan discloses that said repetition unit sets the size of said window to a smaller value than that in the previous processing when an enhanced image is again generated (column 12, lines 16-25 of Dhawan). Image enhancement is performed, and processing time reduced, by iteratively adjusting the window (column 12, lines 16-23 of Dhawan). The number of data elements are reduced (column 12, lines 23-25 and column 11, lines 60-64 of Dhawan), thus resulting in a smaller window.

7. Claims 10, 21 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda (US Patent 6,285,470 B1) in view of Fields (US Patent 5,767,945) and Saito (US Patent 5,966,455).

Regarding claims 10, 21 and 32: Matsuda in view of Fields does not disclose expressly an image reduction unit which generates a reduced original image with low resolution from said original image; a show-through region estimation unit which calculates a difference between a show-through removed image generated with respect to said reduced original image and said reduced original image to estimate a show-through region; and a pixel allocation unit which allocates pixels of said show-through removed image, that correspond to said estimated show-through region, onto said original image with the original resolution.

Art Unit: 2624

Saito discloses an image reduction unit (figure 12(1106) of Saito) which generates a reduced original image with low resolution from said original image (column 10, line 66 to column 11, line 7 of Saito).

Saito further disclose a region estimation unit (figure 12 (1107) of Saito) which calculates the properties of a region generated with respect to said reduced original image (column 11, lines 41-47 of Saito) in order to process said region based on the associated properties (column 12, lines 48-53 of Saito).

Saito further discloses a pixel allocation unit (figure 12 (1111) of Saito) which allocates pixels of said processed image that correspond to said estimated region (column 14, lines 1-7 of Saito), onto said original image with the original resolution (column 14, lines 19-21 of Saito). The block combiner (figure 12(1111) of Saito) combines the blocks of each region (column 14, lines 1-7 of Saito) in order for said blocks to be output at the original input image resolution (column 14, lines 19-21 of Saito). In order to combine the blocks, said block combiner must allocate the pixels of the corresponding processed image. Otherwise, there will be no available memory to output the processed, block-combined image.

Matsuda in view of Fields is combinable with Saito because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use image reduction to analyze the image at a reduced resolution, as taught by Saito, said analysis being the show-through region analysis taught by Matsuda. Doing so would create an estimated, reduced-resolution show-through removed image which is then used to create the original image at the original resolution. The

Art Unit: 2624

pixel allocation unit of Saito would be used to combine the reduced-resolution blocks and allocate the required data to create the corrected image at the original resolution. The motivation for doing so would have been to reduce processing time and data storage requirements (column 14, lines 25-26 of Saito). Therefore, it would have been obvious to combine Saito with Matsuda in view of Fields to obtain the invention as specified in claims 10, 21 and 32.

8. Claims 11, 22 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda (US Patent 6,285,470 B1) in view of Fields (US Patent 5,767,945) and Allen (US Patent 6,044,172).

Regarding claims 11, 22 and 33: Matsuda in view of Fields does not disclose expressly a coordinate system transformation unit which transforms the color coordinate system of said original image or said reduced original image to another color coordinate system such as a YCbCr coordinate system or a pseudo KL color coordinate system, in which the components are highly independent from one another; and a coordinate system reverse transformation unit which performs transformation reverse to said transformation on the show-through removed image with respect to the image transformed by said coordinate system transformation unit.

Allen discloses a coordinate system transformation unit (figure 1A(104A) of Allen) which transforms the color coordinate system of an image to another color coordinate system (column 4, lines 54-57 and lines 66-67 of Allen) in which the components are highly independent from one another (column 1, lines 13-18 and column 6, lines 39-42 of Allen).

Art Unit: 2624

Allen further discloses a coordinate system reverse transformation unit (figure 1A(106A) of Allen) which performs transformation reverse to said transformation on a processed image with respect to the image transformed by said coordinate system transformation unit (column 5, lines 18-23 of Allen).

Matsuda in view of Fields is combinable with Allen because they are from the same field of endeavor, namely image data processing. At the time of the invention, it would have been obvious to a person of ordinary skill in the art to convert the color data of Fields into a more convenient color space for processing the color image data and then reverse transforming said processed color image data, as taught by Allen, said processing being the show-through image removal taught by Matsuda. The motivation for doing so would have been to convert the color image data into a form that is more easily processed given the type of processing to be performed (column 5, lines 2-4 of Allen). Therefore, it would have been obvious to combine Allen with Matsuda in view of Fields to obtain the invention as specified in claims 11, 22 and 33.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any

Art Unit: 2624

extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James A Thompson whose telephone number is 571-272-7441. The examiner can normally be reached on 8:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K Moore can be reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James A. Thompson
Examiner
Art Unit 2624

JAT
20 April 2005



THOMAS D.
~~FOOTY~~ LEE
PRIMARY EXAMINER